





RENAULT TRUCKS

99 Route de Lyon 69806 Saint-Priest Cedex France Tél.+33 (0)4 69 09 60 00 We recommend Renault Trucks Oils.

We recommend Renault Trucks Oils.

Dimensions and specifications are provided for guidance only.

The manufacturer reserves the right to change them without prior warning.

Renault Trucks SAS with a capital of €50 000 000 - 954 506 077 RCS Lyon

10/2021







renault-trucks.co.uk



LONG HAUL RANGE

WITH THE RIGHT ACCESSORIES, CUSTOMISE A RENAULT TRUCKS AND MAKE IT YOUR TRUCK.

Renault Trucks offers a full range of quality accessories to meet your needs. From improving your vehicle's performance, protecting the safety of the driver, road users and transported goods to the onboard comfort of your drivers.

CONTENTS

OPTIMISATION	P 04	COMFORT	P 16
DEFLECTORS	P 06	SEAT COVERS AND FLOOR MATS	P 18
VISORS	P 07	AIR CONDITIONING UNITS	P 20
		CAB FIXTURES AND FITTINGS	P 21
		REST AREA	P 24
SAFETY & PROTECTION	P 08		
ANTI-THEFT SECURITY	P 10	ELECTRONICS	P 26
FIRE SAFETY	P 11	CAMERAS	P 28
SAFETY SYSTEMS	P 11	СВ	P 28
DRIVING SAFETY	P 12	DRIVING ASSISTANCE	P 29
VISIBILITY	P 13		
SCREENS	P 14	CUSTOMISATION	P 30
WIPER BLADES	P 14	ADDITIONAL LIGHTING	P 32
BATTERY ACCESSORIES	P 15	WHEEL EQUIPMENT	P 33
		CAB CUSTOMISATION	P 34
		CAB INTERIOR TRIM	P 35

















Optimisation





DEFLECTORS

Roof deflectors



Fixed roof deflector for tractor and rigid Day cab	74 82 595 059
Fixed roof deflector for tractor Night & Day cab	74 21 963 722
Fixed roof deflector for rigid Night & Day cab	74 21 963 719
Electric roof deflector for rigid Night & Day cab	74 22 069 194
Long fixed roof deflector for High Sleeper cab tractor	74 82 278 650
Short fixed roof deflector for rigid High Sleeper cab	74 82 287 893
Long adjustable roof deflector for tractor Sleeper cab	74 82 287 913
Short adjustable roof deflector for rigid Sleeper cab	74 82 288 142
Fixed roof deflector for rigid Sleeper cab	74 84 505 412
Manual adjustment roof deflector for tractor Sleeper cab To be ordered with:	74 82 608 436
Support kit, long adjustable bar, right-hand	74 82 611 741
Support kit, long adjustable bar, left-hand	74 82 608 433
capper time, toring adjustable bar, tert riaria	7 . 52 000 400

Side deflectors



Side deflector for tractor High Sleeper cab, lower left-hand	74 82 282 029
Side deflector for tractor High Sleeper cab, lower right-hand	74 82 278 535
Side deflector for tractor Sleeper and High Sleeper cab , upper left-hand	74 82 502 698
Side deflector for tractor Sleeper and High Sleeper cab , upper right-hand	74 82 275 482
Side deflector for tractor Night & Day and tractor Sleeper cab , lower left-hand	74 82 280 784
Side deflector for tractor Night & Day and tractor Sleeper cab, lower right-hand To be ordered with:	74 82 275 496
Pipe clamp	74 82 658 265
Pipe	74 82 347 123

VISORS

Visors

and Night & Day cab	74 84 807 108	and High Sleeper cab	74 82 366 153
Injected thermoplastic, transparent grey. Weight: 3.7 kg. Sun visor function: prevents glare and dazzle whilst lowering the temperature inside the cab. To be ordered with:		Injected thermoplastic, transparent grey. Weight: 3.42 kg. Sun visor function: prevents glare and dazzle whilst lowering the temperature inside the cab. To be ordered with:	
External support kit LH H1	74 82 363 070	External support kit LH H2	74 82 366 148
External support kit RH H1	74 82 364 622	External support kit RH H2	74 82 366 146
Internal support kit LH H1	74 82 364 611	Internal support kit LH H2	74 82 366 114
Internal support kit RH H1	74 82 364 620	Internal support kit RH H2	74 82 366 134
Visor grommet (rubber)	74 82 518 052	Visor grommet (rubber)	74 82 518 052





SAFETY & PROTECTION

driver safety and to protect your loads.

Our accessories are specially designed to ensure



ANTI-THEFT SECURITY

Diesel anti-theft devices



Mechanical diesel anti-theft device with float

74 85 134 021

Fuel anti-theft device to prevent fuel siphoning, integral anti-backflow system with float to protect every drop of fuel, even with a full tank. Diameter: 79 mm.

Note: the float has been designed to float to the surface once the fuel filler nozzle has been removed, so it is not possible to re-insert the nozzle in the tank.

Diesel mechanical anti-theft device without

74 22 416 915

Anti-theft fuel siphoning device, integral anti-backflow system. Diameter: 68.5 mm.

To be ordered with:

System protection

74 23 618 214

Strong box



Strong box with fixing kit

74 25 980 634

Motorised automatic locking system (battery-powered; 10,000 opening and closing operations), electronic locking with 4-digit code (changeable) and 5-minute memory function. Low battery indicator. Laser cut doors, restricted space between the door and frame. Door locked between 2 steel pivots. Vertical or horizontal installation. Sturdy internal locks and hinges, no plastic components. EC Compliant. Grey anthracite.

Capacity: 8.3 litres. Weight: 6.5 kg. Dimensions (L x W x H in mm): 280 x 235 x 165.

- Steel plate wall thickness:
- Door: 5.0 mm.
- Compartment: 1.5 mm.

Lock



Mechanical anti-intrusion Doorlock

74 84 078 457

Kit comprising: Mechanical locking system to be fitted to the cab door (right-hand and left-hand) and stickers to be adhered to the door window glass.

Mechanical safety system in addition to the remote control locking system. Withstands attempted break-in.

FIRE SAFETY

Fire extinguishers





Part No. 74 22 590 688

3 kg fire extinguisher	74 82 144 585
6 kg fire extinguisher	50 10 404 152
Protective case for fire extinguishers located on the outside of a vehicle or trailer Suitable for 6 to 9 kg type fire extinguishers. Vertical or horizontal installation.	74 22 590 688

High resistance to impacts and projections. Supplied with bolt and retaining strap.

74 82 144 576

Part No. 74 82 144 576

SAFETY SYSTEMS

Horn



Roof horn	74 84 522 090
Chrome-plated steel roof-mounted horn. Dimensions (L x H in mm): 610 x 150. Weight: 1.2 kg. Powerful horn.	

To be ordered with:

2 kg fire extinguisher

Console	74 82 364 505
24 V solenoid valve	74 23 439 998

Breathalyser - Alcolock test

DRIVING SAFETY



74 23 253 861 Breathalyser - Alcolock test, left-hand drive 74 23 253 862 Breathalyser - Alcolock test, right-hand drive

Driver assistance ECU 74 22 364 866

Electronic unit required for alcohol breathalyser test ignition immobiliser devices and also for the lane departure warning system. Not fitted as standard.



Single-use mouth piece (pack of 25)

74 22 024 666

VISIBILITY

Rotating beacons



Part No. 74 24 117 481

LED version

74 24 117 481

Two 24 V orange rotating beacons (sold with a fitting kit). For **Renault Trucks T, except High Sleeper cab.**

Work lights



Part No. 74 85 136 995

White LED work light

74 85 136 995

White 16-LED lighting. Consumption: 43 Watts.
Power supply 9 to 33 V. Brightness: 3000 lumens. Supplied with cable and fixings. Attaches to the top section of the back of the cab.
Provides light at the rear of the cab.
Simplifies maintenance and handling operations.

74 21 650 855

Attaches to the top section of the back of the cab. Lights up the rear of the cab. Simplifies maintenance and handling operations.

Dimensions: 104 x 94 mm. Supplied with cable and fixings.

Warning triangle



Worksite bar equipped with warning triangle and rotating beacons

74 21 650 717

Complete pre-wired assembly, pre-equipped on the vehicle. Contains 1 bar [140 cm] supporting 2 x 12 V rotating beacons and 1 folding triangle. Dual purpose: standard, with two rotating beacons; worksite with folding triangle. 24 V. For Renault Trucks T, except High Sleeper cab.

SCREENS

Double glazing



Part No. 74 82 396 705

Left-hand side double-glazing

74 82 396 702

Right-hand side double-glazing

74 82 396 705

Side window glass, 4 mm thick. Unbreakable laminated glass. Better protection against theft and break-in, as well as better vehicle

WIPER BLADES



Part No. 74 82 559 001

Set of 2 standard wiper blades

74 82 559 001

Set of 2 flat blade wiper blades (from 2022 onwards)

74 78 610 034

BATTERY ACCESSORIES

Battery charger kit



Battery charger kit

74 23 034 242

Provides higher charging voltages and helps to maximise battery life. All chargers have at least 20 A and are designed to avoid over-charging. Waterproof and also suitable for all rechargeable batteries installed in vehicles equipped with a 24 V electrical system. No need to remove the battery caps or to disconnect the battery cables while

charging.
The charger is designed for charging at low temperatures.
It has a built-in temperature compensating device to provide an optimum charge.

Fully automatic and equipped with advanced switching technology, the charger switches off automatically once the batteries are fully charged. The charger consumes minimal power. Can be used as a power supply and can recharge fully discharged batteries.

ADVANTAGES

- Low energy consumption.
 Permanent installation.
 No disruption to advanced electronic equipment.

Battery reconditioner



Battery reconditioner

74 23 162 781

ADVANTAGES

Increases battery available charging capacity by preventing and reducing the build-up of lead sulphate.

Increases battery life by directly tackling ageing caused by sulphation. Prevents deep discharges that reduce battery life and lead to premature battery replacement.

This reconditioner, suitable for Renault Trucks vehicles fits easily into the battery compartment.

Battery reconditioner comes with a 2-year warranty parts

Battery reconditioner comes with a 2-year warranty, parts and labour included.



SEAT COVERS AND FLOOR MATS

Seat covers

Expert	Customised seat covers in two-colour simulated leather: nutmeg centre section and anthracite grey side panels. Easy to fit with zip fastening. Suitable for heavy-duty use in very dirty environments. Can be sponged down.
New Force	Resistant custom-fitted covers, in the same fabric used for original equipment. Colours: anthracite and black.
Classy	Custom-fit seat covers, with high-quality 3D stitching. Resistant breathable covers in the same woven fabric as used for original equipment. Protection and comfort combined.

		Expert	New Force	Classy
Driver	Adjustable headrest	-	74 23 677 877	74 85 136 367
	Built-in headrest	74 85 136 361	74 23 677 872	-
Passenger	Adjustable headrest	-	74 23 677 879	74 85 136 368
	Built-in headrest	74 85 136 362	74 23 677 873	-
Third seat	Left-hand drive	74 85 136 361	74 23 677 872	-
	Right-hand drive	74 85 136 362	74 23 677 873	_

New Force









Floor mats



Part No. 74 21 514 904





Part No. 74 24 018 513

74 84 526 409

Textile floor mat, right-hand drive

Textile floor mat, left-hand drive

Rubber floor mat, left-hand drive

Rubber floor mat, right-hand drive

Rubber floor mat with raised Renault Trucks logo. Sold in pairs: one mat for the driver's side and one for the passenger side.

74 84 526 546

74 21 514 904

74 21 514 905

Textile floor mat with red Renault Trucks logo. Sold in pairs: one mat for the driver's side and one for the passenger side.

Integral floor mat (for T High only)

74 24 018 513



Part No. 74 23 326 806

Part No. 74 84 526 409



Part No. 74 24 018 513



Part No. 74 24 018 513

New T C K Evolution

Fabric floor mat, left-hand drive	74 23 326 806
Fabric floor mat, right-hand drive	74 23 326 803

Integral floor mat (for T High only)

74 24 018 513

AIR CONDITIONING UNITS

Temperature controllers



Cab interior temperature controller -SPX1200RT for **High Sleeper cab**

74 24 082 551

For variable temperature control inside the vehicle. Interior air is drawn in, cooled and dried via the intake grille in the air conditioning unit and returned to the vehicle interior through the blower vents. Comprises 2 components mounted separately: an evaporator mounted on the roof and a condenser mounted on the rear cab wall. On tractor vehicles only.



RTX 1000 Day cab and Night & Day cab (H1)

74 23 488 884

RTX 1000 Sleeper cab and High Sleeper cab (H2)

74 23 488 890

For variable temperature control inside the vehicle. Interior air is drawn in, cooled and dried via the intake grille in the air conditioning unit and returned to the vehicle interior through the blower vents. Mounted on the cab roof (the air conditioning unit replaces the sunroof).



Part No. 74 23 488 884

CAB FIXTURES AND FITTINGS

Kettle



24 V kettle

74 85 134 400

Robust relay technology, automatic shut-off when boiled or if there is no water in the kettle. Power ON indicator.
Colours: black and silver.
Capacity 0.75 L. Power supply 24 V. Power consumption 380 Watts.
Dimensions (L x W x H in mm): 190 x 125 x 205.
Weight: 750 g. With fixing kit for wall/horizontal installation.
E-Approved (CEM Directives).





Water fountain

50 01 860 231

Water fountain to be mounted on the chassis. Capacity: 25 L. Food grade high-density polyethylene plastic material. Dimensions (L x W x H in mm): 600 x 450 x 220.





Coat hook

74 82 291 102

Colour: medium grey.

Cooler



74 82 268 385 Bottle cooler

Storage capacity: 2 x 1.5 L. Weight: 4.6 kg (empty). 24 V. Dimensions (L x W x H in mm): 160 x 276 x 430.

Refrigerators



Part No. 74 84 581 545

26 L additional refrigerator

74 84 581 543

Capacity 26 L. Weight: 16 kg (empty). Dimensions (L x W x H in mm): 600 x 662 x 230. Voltage: 12/24 DC. Temperature: 4°C to 12°C. Colour: black. For Renault Trucks T, except High Sleeper cab.

40 L additional refrigerator

74 84 581 545

Capacity 40 L. Weight: 20 kg (empty). Dimensions (L x W x H in mm): 647 x 448 x 370. Voltage: 12/24 DC. Temperature: 4°C to 12°C. Colour: black.

The removable central partition can be placed in the freezer and then used to quickly cool down the refrigerator to help keep the refrigerator cooler for longer.

For Renault Trucks T High Sleeper cab.

Ice cooler



24 L electric ice cooler

74 85 134 405

Electric ice cooler with a 24-litre capacity (approx.).

Supply voltage: 12 DC and 230 V AC.

Dimensions (L x W x H in mm): 420 x 300 x 420. Weight: 4.3 kg.

Automatic AC/DC communication (12/230 V) for vehicle and mains power supply. Two clear zip pockets, a mesh pocket, a cable compartment and adjustable strap. Enough height for 2-litre bottles. Velcro fastenings for secure fastening in the vehicle and a hard-wearing outer casing.

Can be placed on the passenger seat and held in position using the seat helt the seat belt.

EC, TUV/6S compliant, approved in accordance with the current directive for vehicles.

Blower



74 85 134 118

Professional blown air gun. Pressure: 8.5 bar. 2 m polyurethane red coiled hose. Colours: red and grey.
Ergonomic air gun is easy to grip.
Connects or disconnects instantly to the cab pressure connection.
Suitable for cleaning the cab interior.

Clipboard



Clipboard

74 82 224 412

Clipboard used to hold documents. Integrated pen-holder. Can be fitted in position on the steering wheel. Weight: 310 g. A4 format. Colour: carbon.

Courtesy mirror




74 82 517 056

 $\label{prop:courtesym} \text{Courtesy mirror built into the interior of the overhead storage unit.}$ Dimensions: 88 x 136 mm.

REST AREA

Sheets



Part No. 74 85 136 336

Hammock



Part No. 74 82 286 392

Flat sheet 74 85 136 333

Material: 100% cotton. Colour: white. Dimensions: 2.75 x 1.70 m.

Fitted sheet for one-piece bunk 74 85 136 334

Material: stretch jersey. Colour: white. Dimensions: 2 x 0.8 m.

Fitted sheet for extendable bunk 74 85 136 335

Material: stretch jersey. Colour: white. Dimensions: 2 x 0.9 m.

Duvet 74 85 136 336

74 82 286 392

74 82 516 837

74 82 516 836

Material: stitched ticking fabric, 73% polyester, 27% cotton. Colour: white.

Dimensions: 2.75 x 1.70 m.

Hammock backrest

Lower right-hand support

Lower left-hand support

Colour: grey.

<u>To be ordered with:</u>

Material: 100% polyester. Dimensions (H x L in mm): 750 x 500.

Mattress topper



Mattress topper

74 23 822 359

Memory mattress topper with removable cover.







CAMERAS

Cameras



Part No. 74 21 631 566

Camera (10 m cable)	74 21 631 566
Carriera (10 III cable)	74 21 031 300

Kit includes: camera + 10 m cable + suitable connector.

74 21 631 565 Camera (20 m cable) Kit includes: camera + 20 m cable + suitable connector.

These two cameras are to be ordered with:

Wiring harness kit	74 22 106 752
Fir-tree type fitting	50 03 085 032
Cable tie	50 03 085 014
Video switch	74 22 488 194

For vehicles with camera pre-equipment (Variant 3YS02):

Camera (10 m cable) 74 23 317 424

Kit includes: camera + 10 m cable + suitable connector.

Camera (20 m cable) 74 23 317 425

Kit includes: camera + 20 m cable + suitable connector.

CB

CB



Part No. 50 01 872 845

Johnson II CB radio; 40 channels; AM/FM; 12 V. Dimensions (L x W x H in mm): 170 x 150 x 52.

Rack for CB

74 85 134 463

50 01 872 845

Johnson II CB radio; 40 channels; AM/FM; 12 V. Dimensions (L x W x H in mm): 170 x 150 x 52.

DRIVING ASSISTANCE

Additional screen for dashboard



Part No. 74 22 224 265

Additional screen for short and long dashboard, left-hand drive and for short dashboard, right-hand drive.

74 22 224 265

The additional screen has been designed to support driver activities such as navigation, fleet management, reversing and side cameras, front-view mirror, etc. It is located in the centre of the dashboard. 7-inch screen. High definition colours. Touch-sensitive interface. Buttons for easy access to functions (ON/OFF, source change, lighting brightness, day/night mode, etc.). Easy to use (touch-sensitive screen, intuitive interface). Operating temperature range: -40°C to +85°C. The component can withstand a high vibration environment. Dust-proof.

To be ordered with:

Lane departure warning system



Part No. 74 21 734 757

To be added:

Cover	74 21 873 901
Wiring harness	74 21 676 855
Cable tie	50 03 085 014

Also to be added, if the HCV is variant 3ZR01:

Wiring harness	74 21 418 531
Freewheel	74 21 995 063

To be added if the HCV is not variant 3ZR01:

74 21 418 526 Wiring harness

Helps to maintain the vehicle direction of travel by activating a warning buzzer when the vehicle crosses the white lines if the indicators are not operated. The warning buzzer sounds on the left or right-hand side of the vehicle, depending on direction

The system is particularly helpful for long distance driving on motorways and national roads when driving becomes monotonous at any time of day or night. Only operates at driving speeds above 60 km/h (deactivates at speeds below 55 km/h). Activated by pressing a button, deactivated by a switch on the dashboard. Information is displayed on the instrument panel.

The lane departure warning system consists of several parts numbers:

Detection sensor	74 21 723 757
Cable for camera	74 21 536 828
Camera	74 21 202 923

Variant required:

Road safety electrical pre-equipment	6YR02
--------------------------------------	-------





ADDITIONAL LIGHTING

Roof bars



Roof bar for Day cab and Night & Day cab

74 23 508 567

Roof bar for **Sleeper cab** and **High Sleeper cab**

74 23 495 448

Kit comprises: a stainless steel roof bar and wiring harnesses. The vehicle can be customised. Additional lights to be ordered separately.

Additional white light



Additional white light - Rallye 3003

74 85 135 868

Side light comprising 6 high-performance LED lights producing an intense white light. Precision reflector for optimum and uniform lighting of the road ahead, up to 500 m.

LED lighting strips



Part No. 74 21 918 119

Blue monochrome LED lighting strip kit (front end)

74 21 918 119

LED lighting strip kit for the front end. Kit contains LED lighting strips for right-hand and left-hand bumpers only.

WHEEL EQUIPMENT

Wheel rims



Part No. 50 10 598 325

Alloy wheels

Alloy rims are lighter than standard rims. They offer better road-holding, greater comfort and a significant weight saving.

Steered/Drive wheels	
22.5 x 8.25	50 10 598 325
22.5 x 9.00	74 22 606 553
Steered wheel	
22.5 x 11.75	74 22 606 560

Dura-Bright rims®*

* Dura-Bright® is a patented soap and water-based surface treatment product for fast cleaning.

Steered/Drive wheels	
22.5 x 8.25	74 22 606 573
22.5 x 9.00	74 22 606 575
Steered wheel	
22.5 x 11.75	74 22 606 577

Customisation

3435

Accessories 2021 - Renault Trucks T & T High

CAB CUSTOMISATION

Carbon-finish steering wheel



Carbon-finish steering wheel

74 82 520 601

Leather steering wheel with logo outline and carbon decor upper section.

CAB INTERIOR TRIM



Part No. 74 23 328 160



Part No. 74 23 401 699

 Dashboard trim
 74 23 328 160

 Door trim, left-hand drive
 74 23 401 699

 Door trim, right-hand drive
 74 23 402 374